



## Specifications

Shifters C30 Rotary 3-Speed

| Shifters C30 Rotary 3-Speed Trigger |                           |                |
|-------------------------------------|---------------------------|----------------|
| Model No.                           | DLC34 R3 (S)              | DLC34 R3 (A~U) |
| Sales No.                           | HSJ940                    | n/a            |
| Type                                | Dual Lever Trigger        |                |
| Speeds                              | 3-Speed (C30 Rotary Only) |                |
| Cable Adjuster                      | ●                         |                |
| Clamp Fastening Screw               | SCM435 Chromoly           |                |
| Large Lever                         | Aluminum                  |                |
| Small Lever                         | Engineering Polymers      |                |
| Cable Type                          | Slick-Galvanized          |                |
| Cable Length                        | 2,050mm                   | ×              |
| OEM Pre-Assembled                   | ×                         | ●              |
| Pre-Assembled Cable Adjuster        | ×                         | ●              |
| Pre-Assembled Cable Anchorage       | ×                         | ●              |
| Pre-Assembled Casing Length         | ×                         | 1,200~2,000mm  |
| Pre-Assembly Casing Type            | ×                         | 2SP            |
| Weight                              | 156g                      | n/a            |



## Specifications

Shifters C30 Rotary 3-Speed

### Shifters C30 Rotary 3-Speed Twist

|                               |                           |                |
|-------------------------------|---------------------------|----------------|
| Model No.                     | TSC30 R3 (S)              | TSC30 R3 (A~U) |
| Sales No.                     | HSJ976                    | n/a            |
| Type                          | Twist                     |                |
| Speeds                        | 3-Speed (C30 Rotary Only) |                |
| Cable Adjuster                | ×                         |                |
| Clamp Material                | A6061 Aluminum            |                |
| Clamp Fastening Screw         | SCM435 Chromoly           |                |
| Triangular Cover Screw        | SCM435 Chromoly           |                |
| Cable Type                    | Slick-Galvanized          |                |
| Cable Length                  | 1,900mm                   | ×              |
| OEM Pre-Assembled             | ×                         | ●              |
| Pre-Assembled Cable Adjuster  | ×                         | ●              |
| Pre-Assembled Cable Anchorage | ×                         | ●              |
| Pre-Assembled Casing Length   | ×                         | 1,200~2,000mm  |
| Pre-Assembly Casing Type      | ×                         | 2SP            |
| Weight                        | 80g                       | n/a            |



## Specifications

Shifters C30 Rotary 3-Speed

| Shifters C30 Rotary 3-Speed<br>Thumb |                           |                |                        |                |
|--------------------------------------|---------------------------|----------------|------------------------|----------------|
| Model No.                            | SLC30 T3 (S)              | SLC30 T3 (A~U) | SLC30 H3 (S)           | SLC30 H3 (A~U) |
| Sales No.                            | HSJ210                    | n/a            | HSJ211                 | n/a            |
| Type                                 | (T) Thumb 22.2mm Clamp    |                | (H) Thumb 31.8mm Clamp |                |
| Speeds                               | 3-Speed (C30 Rotary Only) |                |                        |                |
| Cable Adjuster                       | ●                         |                | ●                      |                |
| Lever Position Adjust                | ●                         |                | ●                      |                |
| Lever Material                       | High Polished Aluminum    |                |                        |                |
| Clamp Material                       | Aluminum                  |                | Aluminum               |                |
| Clamp Fastening Screw                | SCM435 Chromoly           |                | SCM435 Chromoly        |                |
| Cable Type                           | Slick-Galvanized          |                |                        |                |
| Cable Length                         | 1,950mm                   | ×              | 1,950mm                | ×              |
| OEM Pre-Assembled                    | ×                         | ●              | ×                      | ●              |
| Pre-Assembled Cable Adjuster         | ×                         | ●              | ×                      | ●              |
| Pre-Assembled Cable Anchorage        | ×                         | ●              | ×                      | ●              |
| Pre-Assembled Casing Length          | ×                         | 1,200~2,000mm  | ×                      | 1,200~2,000mm  |
| Pre-Assembly Casing Type             | ×                         | 2SP            | ×                      | 2SP            |
| Weight                               | 97g                       | n/a            | 103g                   | n/a            |